Sutton, P. M. I.
The Interaction Between Reflex Apnoea and Bradycardia Produced by Injecting 5-HT into the Nodose Ganglion of the Cat 181

Tarnowski, W., see Seitz, H. J., et al. 115

Thomas, R., see Corman, B., et al. 45

Tomita, K., Endou, H., Sakai, F.
Localization of Kallikrein-Like Activity Along a Single Nephron in Rabbits 91

Trautwein, W., see Osterrieder, W., et al. 283

Ullrich, K. J., Papavassiliou, F.
Bicarbonate Reabsorption in the Papillary Collecting Duct of Rats 271

Urakawa, N., see Ozaki, H. 189

Vihko, V., see Salminen, A. 17

Wehler, A., see Grünewald-Zuberbier, E., et al. 55

Wiederholt, M., see Hansen, L. L., et al. 121

Wilke, H., see Seitz, H. J., et al. 115

Wilson, P. W., Lawson, D. E. M.
Calcium Binding Activity by Chick Intestinal Brush-Border Membrane Vesicles 69

Winder, W. W., Garhart, S. J., Premachandra, B. N.
Peripheral Markers of Thyroid Status Unaffected by Endurance Training in Rats 195

Wolff, C. B., see Metias, E. F., et al. 243

Wolgast, M., see Hermansson, K., et al. 85

Yamamoto, T., see Herzig, J. W., et al. 97

Yang, Q.-F., see Osterrieder, W., et al. 283

This volume includes a supplement with the abstracts of the 54. Meeting (Spring Meeting) of the Deutsche Physiologische Gesellschaft held at Innsbruck March 3–6, 1981 R1–R64

Indexed in Current Contents

Subject Index

A
Acetazolamide 271–275
Acetylcholine 283–291
– application to the S-A node 283–291
ACh-activated potassium channel 283–291
Acid protease 17–20
– proteolytic capacity 17–20
Action potential 37–44
Acute phase reaction 175–176
Adenosine-5′-triphosphate (ATP 219–225, 227–235
Adenylate cyclase 21–27
– – from rat heart 29–35
Adult hemoglobin 227–235
Alpha-glycerophosphate dehydrogenase 195–198
Alveolar P_{CO_2} 243–250
Ambient temperature 171–174
Amiloride 263–270
Amphiuma 121–126
Anaerobic work 257–262
Anterior hypothalamus 297–299
Aortic strips 189–193
Aprotinin 91–95
Arterial chemoreceptors in man 243–250
Arteriolar resistance 85–90
Atrial natriuresis 9–15
Autolysis 17–20

B
Basal ganglia 1–7
Basolateral membrane potential of the distal tubule 121–126
Beta-Glucuronidase 17–20
Between-breath changes, BBC 243–250
Bicarbonate reabsorption 271–275
Blood flow to brown adipose tissue 237–242
Body weight 171–174
Bohr effect 227–235
Bowman's capsule 45–53
Bradycardia 181–187
Brain potential 55–60
Breath-by-breath changes 243–250
Brown adipose tissue 237–242

C
Ca^{2+} activation in frog skinned muscle fibres 97–103
Calcium 121–126
– binding activity 69–74
– dependent outward current 293–295
Capacitive and inductive low frequency impedances 105–113
Capsaicin 297–299
– desensitized rat 171–174
Cardiac adenylate cyclase activity 29–35
– muscle 17–20
– output 237–242
Cerebral blood flow 1–7
– ischemia 1–7
Cellular Na content 189–193
Chloride 199–209
– transport 263–270
Chlorothiazide 121–126
Citrate synthase 195–198
Closing of the ion channel 283–291
Cold exposure 115–120
Conduction velocity 199–209
Conscious dogs 9–15
Continuous microperfusion 137–142
Contractile characteristics 149–154
– tension 97–103
Copper, in plasma 175–176
Cortex, field potentials 159–170
Cow ventricular muscle 37–44
Current source density analysis 159–170
– -voltage relationship 37–44
CycloAMP 115–120

D
D-Galactose transport 155–158
Diet-induced thermogenesis 237–242
1,25-Dihydroxycholecalciferol 81–83
– -glycoside 81–83
2,3-Diphosphoglycerate (DPG) 61–68, 81–83, 227–235
Diphosphoglyceric acids 61–68
Diphosphoglyceromutase 61–68
Distal convoluted tubule 91–95
– renal tubule 121–126
Diuretics 121–126, 263–270

E
Electrical impedance of necturus gallbladder 105–113
Electrophysiology 127–130, 159–170
Endotoxin-challenged neonates 175–176
Endurance 149–154
– training 195–198
Energy sources 257–262
Enthalpy change 257–262
Enzyme activation 21–27
– activities 61–68
Epileptic seizures 159–170
Epithelium 105–113
Erythrocyte 61–68, 81–83
Erythropoiesis 61–68
Erythropoietin 81–83
Ethacrynic acid 263–270

Event-related brain potentials 55–60
Exercise 17–20
Extracellular patch clamp technique 293–295
– potassium 1–7
– – concentration 37–44

F

Facilitated oxygen transport 211–217
Fast muscle 149–154
Fatigue 149–154
Fetus 61–68
Fever 175–176
Field potentials 159–170
Fixed-acid Bohr effect 227–235
– Haldane effect 219–225
Fluid reabsorption 85–90
Food intake 171–174
Furosemide 121–126

G

Gallbladder epithelium 105–113
Glomerular filter resistance 251–255
– filtration 85–90, 251–255
Glucagon 21–27, 29–35, 115–120
Glucose 6-phosphate 277–282
Glycodiazine transport 271–275
Glycogen 277–282
Glycogenolysis 277–282
Glycolytic enzymes 61–68
– intermediates in human muscle 277–282
Goal-directed behaviour 55–60
Gonadectomy 301–304
Granular portion of distal convoluted tubule 91–95

H

Haldane effect 219–225
Hand contraction 55–60
HCO_3 Transport 271–275
Heart 37–44
– fibers 199–209
– rate 181–187
Heat-dissipating responses 297–299
Helix pomatia 293–295
Hemoglobin 219–225, 227–235
Hereditary hydronephrosis 301–304
Hexose phosphates 277–282
Host defense 175–176
Human muscle 277–282
Hydrochlorothiazide 263–270
Hydrostatic pressure 85–90
5-Hydroxytryptamine (5-HT) 181–187
Hypertension 301–304
–, spontaneous 29–35
Hypocapnic ventilation 181–187
Hypoxia 61–68, 81–83, 243–250
Hypoxic newborns 61–68

I

Ileal smooth muscle 75–79
Immature male rats 301–304
Impedance 105–113
Inductive low frequency impedances 105–113
Inflation of lungs 181–187
Injured muscle fibres 17–20
Insulin 115–120
Intestinal brush-border 69–74
– membrane vesicles, Ca^{2+} binding 69–74
– sugar transport kinetics 155–158
In vitro perfusion 177–179
Ionophoresis 283–291
Iron, in plasma 175–176
Ischemia, cerebral 1–7
Isolated cells 263–270
– heart fibers 199–209
– perfused kidney 251–255
– renal tubules 177–179
Isometric contraction 277–282
– ramp and hold contraction 55–60
Isoproterenol 21–27, 29–35

J

Juxtamedullary glomerular filtration 131–135

K

Kallikrein-like activity 91–95
Katz-Miledi model 283–291
KCl-Ringer 105–113
K-free solution on tension development 189–193
Kidney function, conscious dog 9–15
–, hydrostatic pressures 251–255
– model of uremia 131–135
–, nerve activity 85–90
–, total CO_2 reabsorption 45–53

L

Lactate 277–282
– formation enthalpy 257–262
– /pyruvate ratio 81–83
Lanthanum 69–74
Laryngeal nerve 181–187
Left atrial pressure 9–15
L-Histidine 137–142
Liver mitochondrial-α-glycerophosphate dehydrogenase 195–198
Lysosomes (enzymology) 17–20
Membrane vesicles 69–74

M

Metabolic acidosis 199–209, 271–275
Metabolic alkalosis 271–275
Mg-ATP 97–103
Microdissection 91–95
Microperfusion 137–142
Micropuncture 131–135, 137–142
Mitochondria 195–198
Mitral stenosis 9–15
Morphine 143–148
Motor execution potentials 55–60
Muscarinic response to ionophoretic acetylcholine application 283–291
Muscle 211–217
– contraction 257–262, 277–282
– force, sarcomere length dependence 97–103
– mitochondria 195–198
– stiffness, sarcomere length dependence 97–103
Muscles (enzymology, pathology) 17–20
Muscular discharges 143–148
Myocardium (enzymology) 17–20
Myoglobin 211–217
Myoinositol hexaphosphate (IHP) 219–225, 227–235

N

Na-Ca exchange mechanism 189–193
Na content in vascular smooth muscles 189–193
Naloxone 143–148
Natori's method 97–103
Neonatal ochiectomy 301–304
Neonates 175–176
Neostigmine 283–291
Net glomerular capillary pressure 251–255
Neurohormone 127–130
Newborn and adult hemoglobin 227–235
Nodose ganglia 181–187
Non ionic diffusion 137–142
Noradrenaline 237–242

O

Oculomotricity 143–148
Opening and closing of the ion channel 283–291
Organic anions 199–209
– phosphates 219–225, 227–235
Osmolality on tension generation in smooth muscle 75–79
Ouabain 263–270
Oxygen binding equilibria 227–235
– consumption 263–270
– – of brown adipose tissue 237–242
– transport 211–217

P

$P_{A_{CO_2}}$ profile 243–250
Parietal cortex 1–7
Papillary collecting duct 271–275
Parotid acinar cell membrane potential 127–130
pCa 97–103
Pentobarbital 143–148
Permeability coefficient 137–142
pH 199–209
Pharmacological blockade 127–130
Piretanide 263–270
Polarization phenomena 105–113
Post-ischemic normalization of K^+ 1–7
Potassium deficiency 271–275
Preoptic area 297–299
Protein (metabolism) 17–20
Proximal convoluted tubule 45–53
Purkinje fibers 199–209
Pyruvate kinase 61–68

R

Recovery 277–282
Rectal temperature 171–174
Red cell enzyme activities 61–68
Reflex apnoea 181–187
– control of retractor bulbi muscle 143–148
– effects on human breathing 243–250

Regional blood flow 237–242
Remnant kidney 131–135
Renal bicarbonate transport 271–275
– CO_2 reabsorption 45–53
– function, conscious dog 9–15
– handling of L-histidine 137–142
– hemodynamics 85–90
– hydrostatic pressures 251–255
– kallikrein 91–95
– medulla 263–270
– nerve activity 85–90
– perfusion pressure 9–15
– transport, diuretics 121–126
– tubule 137–142
– tubules 177–179
Respiration 181–187
– control 243–250
Respiratory centre 181–187
Retractor bulbi muscle 143–148
Reversed-tube breathing 243–250

S

Salivary gland 127–130
Salt hypertension 301–304
S-A node 283–291
Sarcomere length 97–103
Scalp recorded slow potential shifts 55–60
Secretion 21–27, 29–35
Short term body weight 171–174
Single channel activity 293–295
– nephron glomerular filtration rate 131–135
– – in rabbits 91–95
SITS (4-acetamido-4'-isothiocyanatostilbene-2,2'-disulfonic acid) 271–275
Skeletal muscles 17–20
Skinned muscle fibres, calcium activation 97–103
Slow muscle 149–154
Smooth muscle 75–79, 211–217
Sodium-chloride transport 263–270
– excretion 9–15
Spontaneously hypertensive rat 29–35
Strength 149–154
Structural requirements for enzyme activation 21–27
Submaximal exercise 17–20
Substance P 127–130
Sugar transport kinetics 155–158
Sylgard 177–179
Sympathetic nerve activity 85–90

T

Temperature, isometric characteristics, muscle 149–154
– regulation 171–174
Thermogenesis 237–242
Thermoregulation 297–299
Thermosensitive neuron 297–299
Thick ascending limb of Henle's loop 263–270
Thyroid secretion rate 195–198
– status 195–198
Tissue accumulation method 155–158
Total CO_2 reabsorption 45–53
Trace metal changes 175–176
Transmembrane Na gradient 189–193
Transport kinetics 137–142
Trigeminal afferents 143–148
Tubular pressure 251–255
– reabsorption of fluid 131–135

U

Ultrafiltration dynamics 85–90
Unstirred water layers 155–158
Ureteral stop flow pressure 251–255

V

Vagus nerve 181–187
Vascular smooth muscle 189–193
Vasoactive intestinal peptide 21–27, 29–35
Visual cortex 159–170
Vitamin D 69–74
Volume reabsorption 121–126

W

Warm-detectors 297–299
Water flux 45–53
Within-breath changes, WBC 243–250

Z

Zinc, in plasma 175–176